



SEASE EN ELECTRICATION OF THE PARTIES OF THE PARTIE









- 3.5 hours lamp duration
- 2.5 hours charging time
- Ideal for very long network independent working
- Stepless dimmable
- Optionally loading via charging station or direct to the lamp
- Weatherproof protection IP64
- Housing made of impact-resistant polycarbonate with high quality rubber
- Includes USB-C cable



150.4490







HEADLAMPS

perfectLight headlamp with focus 140 lumen

- Ideal for very long network independent working
- 3 Watt CREE Chip Power LED
- Luminous flux 140 Lumen
- Up to 100 m light range
- Zoom from spot to flood light

 Adjustable front and head band for comfort
and to stay in place
a Lamp can be additionally tilted in Calialy ato

- Lamp can be additionally tilted in 5 click stops
- Weatherproof protection IPX3
- 3 hours lamp duration
- Includes 3 x AAA 1,5V batteries







perfectLight Headlamp with Motion Sensor 120 Lumen

- Ideal for very long network independent working
- Extremely powerful light CREE XP-G2 front LED
- 120 lumen luminous flux
- Up to 40 m light range
- Motion sensor for switching on and off
- Two brightness levels
- Fast and secure hold due to adjustable headband
- Flexible positioning
- Ingress protection according to IP54

Technical data:	
Illumination period min:	7 h
Illumination period max:	14 h
Illumination distance max:	40,0 m
Light current min:	60 Lumen
Light current max	120 Lumen
Luminosity:	2 W
Light source:	CREE XP-G2 LED
Weatherproof protection:	IP54
Working temperature:	-10° / +40°C

- Shock and impact resistant
- 14 hours burn time at low brightness level, 7 hours burn time at high brightness level
- Includes 3 x AAA 1,5V batteries

motion sensor for switching on and off









TORCHES

perfectLight torch 85 Lumen

- Ideal for very long network independent working
- 1 Watt CREE Chip LED
- 85 Lumens luminous flux
- 25 m headlight range
- Ideal for smock and shirt pockets
- . Clip for the breast pocket
- Weatherproof protection IPX3
- 5 10 hours lamp duration
- Includes 2 x AA 1,5 V batteries
- Ultra light and impact resistant aluminium housing



5 h
10 h
25,0 m
85 Lumen
1 W
1 Watt CREE Chip LED
IPX3
-10° / +45°C





- Ideal for very long network
- independent working
- Powerful CREE, XP-G LED
- Luminous flux 130 Lumen
- Up to 125 m light range
- Focusable light beam
- With practical wrist strap
- Robust rubber coating
- Ingress protection according to IP54
- Shock and impact resistant
- Approx. 7 hours burn time
- Includes 3 x AAA 1,5V batteries

. oom aata.	
Illumination period max:	7 h
Illumination distance max:	125,0 m
Light current max:	130 Lum
Luminosity:	2,5 W

Light current max:	130 Lumen
Luminosity:	2,5 W
Light source:	CREE XP-G LED
Weatherproof protection:	IP54
Mr. d.t t	100 / 1000

34,00 150.4420

perfectLight torch 50 Lumen

- Ideal for very long network independent working
- High power LED
- 50 Lumens luminous flux
- Up to 50 m light range
- With practical wrist strap
- Ingress protection according to IP54
- ca 10 hours lamp duration
- Includes 3 x AAA 1,5V batteries



Technical data:	
Illumination period max:	10 h
Illumination distance max:	50,0 m
Light current max:	50 Lumen
Luminosity:	1 W
Light source:	High power LED
Weatherproof protection:	IP54
Working temperature:	-10° / +40°C
(4)	5 5 5 5 5

per at 12 ED to Lumen

d g network independent

130 Lumen ight range

ght beam

able plastic protection handle ter protected according to IP30

 Easily and quickly rechargeable over e 12+24V cigarette lighter socket charging time

time



nical data:	
ination period max:	1 h
mination distance max:	100,0 m
light current max:	130 Lumen
Luminosity:	2 W
Light source:	CREE XP-G LED
Weatherproof protection:	IP30
Working termperature:	-10° / +40°C
Battery technology:	Lithium-lon
Battery capacity:	0,55 Ah
Battery voltage:	3,7 V





INSPECTION LAMPS

Flexible Inspection lamp with magnet

- Ideal for very long network independent working
- Halogen lamp
- Flexible long shaft, 400 mm
- · With optional clip-on light-flooded magnet
- Includes extension 500 mm
- Approx. 60 hours lamp duration
- Includes 3 x AA batteries



Impact proof housing

Flexible inspection lamp with magnet and mirror

- Ideal for very long network independent working
- Halogen lamp
- Flexible long shaft, 400 mm
- With optional attachable flexible mirror (20 x 35 mm)
- · With optional clip-on lightflooded magnet
- Includes extension 500 mm
- Approx. 60 hours lamp duration
- Includes 3 x AA batteries
- Impact proof housing

perfectLight 5 + 1 inspection lamp 100 Lumen

- Ideal for very long network independent working
- Powerful spot LED
- Extremely powerful light COB front

PERFECT *

- Three light modes: two brightness levels and a spot
- 3 luminous fluxes: COB Front 50 and 100 Lumen and spotlight 25 Lumen luminous flux
 • With belt clip
- Ingress protection according to IP20
- 3 hours lamp duration
- Includes 3 x AAA 1,5V batteries
- Impact-resistant polycarbonate housing

M	<u></u>
	550.1138

Technical data:

60 h
10000 Lumen
3,2 W
Halogen



Technical data:		
Illumination period max:	3 h	Ē
Illumination distance max:	10,3 m	
Light current min:	25 Lumen	
Light current max:	100 Lumen	
Luminosity:	1,5 W	
Light source:	5 +1 SMD LED	
Weatherproof protection:	IP20	
Shock resistance level:	IK07	
Working temperature:	-10° / +40°C	



Mobile COB LED workshop hand lamp, foldable

- Ideal for very long network independent working
- 3 Watt COB LED + 1 x LED Head light
- Housing body covered with high quality rubber
- Ingress protection according to IP20
- Shock and impact resistant 180° foldaway magnetic stand
- With belt clip and hook
- Includes Micro USB for charging

















- 3.5 hours lamp duration
- Impact resistant ABS housing





150.4495





PREMIUM-WERKZEUGE



LED COB Stripe inspection lamp, 350 lumen with UV-Spot laserpointer and USB-C

- Ideal for very long network independent working • Three light modes: COB Stripe, LED
- Spot and UV LED
- 120° turnable belt clip, magnetic
- Laserpointer
- Ingress protection according to IP20
- 3 hours lamp duration
- USB-C charging port
- Charge level indicator
- High-performance lithium-ion battery
- Aluminium housing

One lamp, four lights!

Illumination period max: Light current max: 350 Lumen COB Stripe, LED Light source: Spot + 1 UV LED Weatherproof protection: Working temperature: -10° / +40°C Battery technology: Lithium Ions **Battery capacity:** 800 mAh Battery voltage: 3,7 V Length: 165 mm Weight: 100 g



LED

With a

practical clip!

<u>Laserpointer</u>



Flexible

inspection lamp 400 Lumen Ideal for very long network independent

- 6 Watt LED + LED headlight
- Luminous flux 400 Lumen
- Flexible shaft
- Revolving hooks for suspending
- Magnetic
- With control LED to discharge
- Includes automatic turn off charging station
- Ingress protection according to IP20
- Shock and impact resistant
- 4-5 hours charging time
- 4 hours lamp duration
- Impact resistant ABS housing
- Housing body covered with high quality rubber



PERFECT

INSPECTION LAMPS

Flexible inspection set


- Ideal for very long network independent working
- Halogen lamp
- Flexible shaft
- Includes flexible fibreglass attachment

Technical data:	JUL 1018
Illumination period max:	60 h
Light current max:	192 Lumen
Luminosity:	3,2 W
Light source:	Halogen

- Clip for the breast pocketApprox. 60 hours lamp duration
- Includes 3 x 1,5 V AAA batteries
- Impact proof housing







- Powerful spot LED
- Extremely powerful light COB front LED
- Inspection light, working light and flashlight in one
- 120 lumen luminous flux and spotlight 30 lumen
- 270° foldaway housing
- Ultra <mark>slim</mark> and compact design

- Extremely powerful illumination
- Magnetic
- With hooks for flexible positioning
- Ingress protection according to IP20
- 2 hours charging time
- 2.5 hours / 6 hours lamp



Technical data:	100
Illumination period min:	2,5 h
Illumination period max:	6 h
Illumination distance max:	12,7 m
Light current min:	30 Lumen
Light current max:	120 Lumen
Luminosity:	1,2 W
Light source:	COB LED
Weatherproof protection:	IP20
Shock resistance level:	IK07
Working temperature:	-10° / +40°C
Battery technology:	Lithium-lonen
Battery capacity:	0,7 Ah
Battery volgtage:	3,7 V

(C) DOLL









perfectLight Hand Lamp 500 Lumen

- Ideal for very long network independent working
- Powerful spot LED
- Extremely powerful light CREE XP-E2 front LED
- Three light modes: two brightness levels and a spot
- 3 luminous fluxes: Front 250 and 500 Lumen and spotlight 175 Lumen luminous flux
- · Revolving hooks for suspending
- Foldaway magnetic stand
- Includes automatic turn off charging station
- Splash water protected according to IP65
- Shock and impact resistant
- 5 hours charging time
- 6 hours / 3 hours lamp duration
- Housing body covered with high quality rubber



HAND LAMPS



Battery capacity

Technical data:	
Illumination period min:	3 h
Illumination period max:	6 h
Illumination distance max:	61,5 m
Light current min:	175 Lumen
Light current max:	500 Lumen
Luminosity:	4 W
Light source:	CREE XP-E2
Weatherproof protection:	IP65
Shock resistance level:	IK07
Working temperature:	-10° / +40°C
Battery technology:	Lithium-Ionen

2,2 Ah

Handy Karter Standard Colors of the Colors o





Technical data:	
Illumination period max:	6 h
Illumination distance max:	19,4 m
Light current min:	50 Lumen
Light current max:	200 Lumen





perfectLight Hand Lamp 200 Lumen, foldaway

- Ideal for very long network independent working
- Powerful spot LED
- Extremely powerful light COB front
- 200 lumen luminous flux and spotlight 50 lumen
- Revolving hooks for suspending
- Foldaway magnetic stand
- Ingress protection according to IP20
- Shock and impact resistant
- Includes 3 x AAA 1,5V batteries



UV LAMPS

Flexible

• LED UV lamp

Flexible shaft

clever helpers for the garage

UV leak detection light set

- Extremely high light power
- Ideal for locating leaks in air conditioning
- Great for detecting leaks at close range
- Revolving head
- Self-powering by attaching crocodile clips to a 12V battery
- With long cable for flexible use

- Includes UV glasses
- Compatible with all industry-standard leak detection additives
- Impact proof housing



 Approx. 60 hours lamp duration Impact proof housing



Cordless UV leak detection light set

- Wireless design
- LED UV lamp
- Extremely high light power
- Ideal for locating leaks in air conditioning
- Great for detecting leaks at close range
- Includes UV glasse
- Compatible with all industry-standard leak detection additives
- Includes 3 x AAA batteries
- Impact proof housing.





HAND LAMPS

Pro workshop inspedtion hand lamp 8 watts

- Industrial quality
- Double insulation
- Protection pipe out of polycarbonate
- Impact resistant impact strength IK09
- High quality rubber hand grip casing
- Revolving hooks for suspending
- With contour connector according to CEE 7/17
- Ingress protection according to IP20
- With integrated connector
- Lamp extension tube interchangeable
- Includes lamp



	Technical data:	100
	Luminosity:	8 W
	Cable length:	5 m
500 mm	Cable:	H05RN-F 2x1,0 mm
30	AC voltage range alternating voltage:	220 - 240 V
	Protection class:	Ш
	Weatherproof protection:	IP20



Pro XL workshop inspection hand lamp 11 watts

24,00 550.1381

- Industrial quality
- Double insulation
- Protection pipe out of polycarbonate
- Impact resistant impact strength
- High quality rubber hand grip casing
- Revolving hooks for suspending
- With contour connector according to CEE 7/17
- Ingress protection according to IP20
- 630 mm
- With integrated connector
- Lamp extension tube interchangeable
- Includes lamp

echnical data:	2.0
uminosity:	11 W
able length:	5 m
able:	H05RN-F 2x1,0 mm ²
C voltage range Iternating voltage:	220 - 240 V
rotection class:	II
t	IDOO

20,00 550.1386

Techniscal data:	
Luminosity:	13 W
Cable length:	5 m
Cable:	H05RN-F 2x1,0 mm ²
AC voltage range alternating voltage:	220 - 240 V
Protection class:	II
Weatherproof protection:	IP20
	THE RESERVE

Pro XXL workshop inspection hand lamp 13 watts

- Industrial quality
- Double insulation
- Protection pipe out of polycarbonate
- Impact resistant impact
- strength IK09
- High quality rubber hand grip casing
- Revolving hooks for suspending
- With contour connector according to CEE 7/17
- Ingress protection according to IP20
- With integrated connector
- Lamp extension tube interchangeable
- Includes lamp

Professional XXL LED workshop inspection hand lamp with expander holder 1.300 lumens

- Industrial quality
- Protection pipe out of polycarbonate
- Optimum lighting
- Self-clamping
- Span width 1.270 2.100 mm
- Expanding bracket with large, adjustable and rubber coated hooks
- Impact resistant impact strength IK09
- Revolving hooks for suspending
- With contour connector according to CEE 7/17
- Ingress protection according to IP44





	100 100 100 100 100
Technical data:	* A 5 6
Light current max:	1300 Lumen
Luminosity:	15 W
Adjustable length:	1.270-2.100 mm
Cable length:	5 m
Cable:	H05RN-F 2x0,75 mm ²
AC voltage range alternating voltage:	220 - 240 V
Protection class:	II
Weatherproof protection:	IP 44
alternating voltage: Protection class:	11




EQUIPMENT FOR WORKING LIGHTS

Magnet holder for workshop lamps

- Universal mouting clip for workshop lamps
- Extra large pivoting range
- Magnet completely rubberised
- Stop peg out of spring steel





Ø Magnetic base 31 mm

WORKING LIGHTS

perfectLight LED-Mini-Working Light 900 Lumen


- Ideal for very long network independent
- Extremely powerful light COB front LED
- 2 luminous fluxes: 450 and 900 lumen
- Ingress protection according to IP54
- 6 AA 1.5V batteries included
- Housing cover also rubber
- Fold-out stand

	Technical data:	and the same
s	Illumination period min:	3 h
•	Illumination period max:	12 h
	Light current min:	450 Lumen
	Light current max:	900 Lumen
٠	Luminosity:	12 W
	Light source:	COB LED
	Weatherproof protection:	IP54
	Shock resistance level:	IK07
	Working temperature:	-10° / +40°C



195 mm





Technichal data: Working cable length

Workshop cable reel

- Practical and space-saving
- Extra strong, automatic return mechanism
- With endstopper
- 180° freely revolving
- · Cable working length 20 m
- Connection cable 1.5 m
- Metal wall reinforcement rail 270 mm



Professional cold light work lamp 36 watts

- Industrial quality
- 2.900 lumens luminous flux
- Polycarbonate protection glass
- Housing cover also rubber
- Impact resistant impact strength IK10
- Hooks for double sided applications and pedestal with contour connector according to **CEE 7/17**
- Ingress protection according to IP54

- With integrated connector
- Lamp extension tube interchangeable
- Includes lamp
- · Blow mould plastic housing

Technical data:	
Light current max:	2900 Lumen
Luminosity:	36 W
Cable length:	5 m
Voltage:	230 V
Accessory outlet:	-
Protection class:	П
Weatherproof protection:	IP54

340 mm



110 mm





Professional cold light work lamp 108 watts

Industrial quality

11 mm

- 8.700 lumens luminous flux
- Polycarbonate protection glass
- Housing cover also rubber
- Impact resistant impact strength IK10
- Hooks for double sided applications and pedestal with contour connector according to CEE 7/17
- With 1 x 230 V isolated outlet on the back
- Ingress protection according to IP54
- With integrated connector
- Lamp extension tube interchangeable
- Includes lamp
- Blow mould plastic housing

108 Watt, 8700 Lumen

72 Watt, 5800 Lumen





135,00 150.4260

Extending tripod for work lights

- Universal stand for working lamps
- Lamp holder with welded-in 10mm steel thread
- · Optimal illuminating guaranteed
- Secure stand
- Extremely compact transportation size
- On fold away tripod foot part
- Fully adjustable via 360° locking system
- Working height from 1.35m to 3m
- With cable holder device
- Powder-coated steel construction
- Maximum load of 10kg

Height min 1.350 mm

EQUIPMENT FOR WORKING LAMPS

Extending tripod for work lights with castors

- Universal stand for working lamps
- Robust castors for uneven surfaces
- Universal lamp holder by welded 10mm steel thread
- Ensures optimal illumination
- 2 rollers lockable
- Extremely compact transportation size
- On fold away tripod foot part
- Fully adjustable via 360° locking system
- Working height from 0.70m to 1.90m
- With cable holder device
- Powder-coated steel construction
- Maximum load of 10kg

11400 150.4492

Height min 700 mm

13


Mobile COB LED workshop hand lamp, foldable Ideal for very long network independent working • 2.5 hours charging time • 3 Watt COB LED + 1 x LED Head light 3.5 hours lamp duration Housing body covered with high quality rubber Impact resistant ABS housing Ingress protection according to IP20 Shock and impact resistant 180° foldaway magnetic stand With belt clip and hook Includes Micro USB for charging 150.4495 180° This is up for anything! 155 mm One lamp t <u>Laserpointer</u> LED COB Stripe inspection lamp, 350 lumen with UV-Spot, One lamp, laserpointer and USB-C · Ideal for very long network independent Illumination period max: 3 h COB Stripe & Spot LED • Three light modes: COB Stripe, LED 350 Lumen Light current max: • Spot and UV LED COB Stripe, LED Light source: Spot + 1 UV LED • 120° turnable belt clip, magnetic Weatherproof protection: IP20 Laserpointer Working temperature: -10° / +40°C • Ingress protection according to IP20 Battery technology: Lithium lons • 3 hours lamp duration USB-C charging port 800 mAh Battery capacity: LED Battery voltage: Charge level indicator High-performance lithium-ion battery



Aluminium housing

Weight:





Seligenstädter Grund 10 - 12 D-63150 Heusenstamm

Germany

Tel.: +49(0) 61 04 49 74-0
Fax: +49(0) 61 04 49 74-11
e-mail: kstools@kstools.de
www.kstools.com

